



Get Free VMware 3V0-41.22 Dumps PDF Questions

Why risk failure? Download updated VMware Advanced Deploy VMware NSX-T Data Center 3.x exam PDF questions today. Practice with real 3V0-41.22 dumps and verified answers designed to help you ace your certification quickly using [PrepBolt](https://prepbolt.com/3V0-41.22.html) 3V0-41.22 exam pdf questions and answers.

Thank you for Downloading 3V0-41.22 exam PDF Demo

<https://prepbolt.com/3V0-41.22.html>

QUESTIONS & ANSWERS
DEMO VERSION
(LIMITED CONTENT)

Question 1

Question Type: MultipleChoice

SIMULATION

Task 4

You are tasked with creating a logical load balancer for several web servers that were recently deployed.

You need to:

- Create a standalone Tier-1 gateway with the following configuration detail:

| | |
|------------------------|--|
| Name: | T1-LB |
| Linked Tier-0 Gateway: | None |
| Edge Cluster: | lb-edge-cluster |
| Service Interface: | Name: T1-LB IP Address / Mask: 192.168.220.10/24 Connected To (Segment): Columbus-LS |
| Static Route: | Add a default gateway to 192.168.220.1 |

- Create a load balancer and attach it to the newly created Tier-1 gateway with the following configuration detail:

| | |
|-------------|--------|
| Name: | web-lb |
| Size: | small |
| Attachment: | T1-LB |

- Configure the load balancer with the following configuration detail:

- Create an HTTP application profile with the following configuration detail:

| | |
|-------|--------------------|
| Name: | web-lb-app-profile |
|-------|--------------------|

- Create an HTTP application profile with the following configuration detail:

| | |
|--------------|-----------------------------|
| Name: | web-lb-app-redirect-profile |
| Redirection: | HTTP to HTTPS Redirection |

- Create an HTTP monitor with the following configuration detail:

| | |
|-------|----------------|
| Name: | web-lb-monitor |
| Port: | 80 |

- Create an L7 HTTP virtual server with the following configuration detail:

| | |
|----------------------|-----------------------------|
| Name: | web-lb-virtual-server |
| IP Address: | 192.168.220.20 |
| Port: | 80 |
| Load Balancer: | web-lb |
| Server Pool: | None |
| Application Profile: | web-lb-app-redirect-profile |

- Create an L4 TCP virtual server with the following configuration detail:

| | |
|----------------------|-----------------------------|
| Name: | web-lb-virtual-server-https |
| IP Address: | 192.168.220.20 |
| Port: | 443 |
| Load Balancer: | web-lb |
| Server Pool: | Columbus-web-servers |
| Application Profile: | default-tcp-lb-app-profile |

Complete the requested task.

Notes:

Passwords are contained in the user_readme.txt. Do not wait for configuration changes to be applied in this task as processing may take some time to complete. This task should take up to 35 minutes to

complete and is required for subsequent tasks.

Options:

A- See the Explanation part of the Complete Solution and step by step instructions

Answer:

A

Explanation:

To create a logical load balancer for several web servers, you need to follow these steps:

Log in to the NSX Manager UI with admin credentials. The default URL is `https://<nsx-manager-ip-address>`.

Navigate to Networking > Load Balancing > Load Balancers and click Add Load Balancer.

Enter a name and an optional description for the load balancer. Select the tier-1 gateway where you want to attach the load balancer from the drop-down menu or create a new one by clicking New Tier-1 Gateway. Click Save.

Navigate to Networking > Load Balancing > Application Profiles and click Add Application Profile.

Enter a name and an optional description for the application profile. Select HTTP as the application type from the drop-down menu. Optionally, you can configure advanced settings such as persistence, X-Forwarded-For, SSL offloading, etc., for the application profile. Click Save.

Navigate to Networking > Load Balancing > Monitors and click Add Monitor.

Enter a name and an optional description for the monitor. Select HTTP as the protocol from the drop-down menu. Optionally, you can configure advanced settings such as interval, timeout, fall count, rise count, etc., for the monitor. Click Save.

Navigate to Networking > Load Balancing > Server Pools and click Add Server Pool.

Enter a name and an optional description for the server pool. Select an existing application profile from the drop-down menu or create a new one by clicking New Application Profile. Select an existing monitor from the drop-down menu or create a new one by clicking New Monitor. Optionally, you can configure advanced settings such as algorithm, SNAT translation mode, TCP multiplexing, etc., for the server pool. Click Save.

Click Members > Set > Add Member and enter the IP address and port number of each web server that you want to add to the server pool. For example, enter 192.168.10.10:80 and 192.168.10.11:80 for two web servers listening on port 80. Click Save and then Close.

Navigate to Networking > Load Balancing > Virtual Servers and click Add Virtual Server.

Enter a name and an optional description for the virtual server. Enter the IP address and port number

of the virtual server that will receive the client requests, such as 10.10.10.100:80. Select HTTP as the service profile from the drop-down menu or create a new one by clicking New Service Profile. Select an existing server pool from the drop-down menu or create a new one by clicking New Server Pool. Optionally, you can configure advanced settings such as access log, connection limit, rate limit, etc., for the virtual server. Click Save.

You have successfully created a logical load balancer for several web servers using NSX-T Manager UI.

Thank You for trying 3V0-41.22 PDF Demo

To try our 3V0-41.22 practice exam software
visit link below

<https://prepbolt.com/3V0-41.22.html>

Start Your 3V0-41.22 Preparation

Use Coupon "SAVE50" for extra 50% discount on the purchase of Practice Test Software. Test your 3V0-41.22 preparation with actual exam questions.