

Cisco

500-443 Exam

Advanced Administration and Reporting of Contact Center Enterprise

Thank you for Downloading 500-443 exam PDF Demo

You can also try our 500-443 practice exam software

Download Free Demo

https://prepbolt.com/500-443.html

QUESTIONS & ANSWERS

DEMO VERSION

(LIMITED CONTENT)

E. CCE and CVP

Version: 5.1

Question: 1	
What should a Call Type be mapped to for successful call routing?	
A. Routing Client B. Scheduled Script	
C. Dialed numbed D. Default Label	
	Answer: A
Explanation:	
A Call Type is mapped to a Routing Client, which is a logical representati receive and process routing requests from the CCE system. Reference = Reporting of Contact Center Enterprise (CCEAAR), page 2	
Question: 2	
Which device access is needed to manage agent phones for UCCE/PCCE	?
A. CUCM Admin B. CCE Web Admin tool C. Config Manager tool D. Finesse Admin	
	Answer: A
Explanation:	
A CUCM Admin access is needed to manage agent phones for UCCE/PCC administrator to configure device pools, partitions, calling search spaces agent phones. Reference = <u>Administering Advanced Cisco Contact Center</u>	s, and other settings for the
Question: 3	
Which two components exchange data between Expanded Call Context	Variables? (Choose two.)
A. CCE and Finesse	
B. CVP and Finesse C. Finesse and VXML Server	
D. CUCM and PCCE	
F CCF and CVP	

	Answer: B, E
Explanation:	
B CVP and Finesse exchange data between Expanded Call Context Variables to Finesse through the User to User Information (UUI) field in to CVP exchange data between Expanded Call Context Variables, as CCE call through the Peripheral Interface Manager (PIM) or the VRU Peripheral Context Variables, as CCE call through the Peripheral Interface Manager (PIM) or the VRU Peripheral Context Variables, as CCE call through the Peripheral Interface Manager (PIM) or the VRU Peripheral Context Variables, as CCE call through the Peripheral Interface Manager (PIM) or the VRU Peripheral Context Variables, as CCE call through the Peripheral Interface Manager (PIM) or the VRU Peripheral Context Variables, as CCE call through the Peripheral Interface Manager (PIM) or the VRU Peripheral Context Variables, as CCE call through the Peripheral Interface Manager (PIM) or the VRU Peripheral Context Variables, as CCE call through the Peripheral Interface Manager (PIM) or the VRU Peripheral Context Variables, as CCE call through the Peripheral Interface Manager (PIM) or the VRU Peripheral Context Variables, as CCE call through the Peripheral Interface Manager (PIM) or the VRU Peripheral Context Variables, as CCE call through the Peripheral Interface Manager (PIM) or the VRU Peripheral Context Variables, as CCE call through the Peripheral Interface Manager (PIM) or the VRU Peripheral Context Variables, as CCE call through the Peripheral Interface Manager (PIM) or the VRU Peripheral Context Variables, as CCE call through the Peripheral Interface Manager (PIM) or the VRU Peripheral Context Variables, as CCE call through the Peripheral Context Variables, as CCE call through through the Peripheral Context Variables, as CCE call through through through the Peripheral Context Variables, as CCE call through t	the SIP header. E CCE and n pass ECC variables to CVP Gateway (VPG) depending on rting of Contact Center
Question: 4	
Which two call transfers are supported in PCCE Deployments? (Choose t	wo.)
A. SRTP Refer B. Release VXML Trunk Transfer C. CCE Managed Transfer D. CUCM Destination Transfer E. SIP Refer	
	Answer: C, E
Explanation:	Answer: C, E
Explanation: C CCE Managed Transfer is supported in PCCE Deployments, as it allows another agent or skill group within the same PCCE system using the Fine supported in PCCE Deployments, as it allows the agent to transfer a call using the SIP Refer method. Reference = [Cisco Unified Contact Center E Release 12.5(1)], page 43; [Cisco Unified Contact Center Enterprise Solutions (SRND), Release 12.5(1)], page 101	the agent to transfer a call to esse desktop. E SIP Refer is to an external destination interprise Features Guide,
C CCE Managed Transfer is supported in PCCE Deployments, as it allows another agent or skill group within the same PCCE system using the Fine supported in PCCE Deployments, as it allows the agent to transfer a call using the SIP Refer method. Reference = [Cisco Unified Contact Center E Release 12.5(1)], page 43; [Cisco Unified Contact Center Enterprise Solutions of the contact Center Enterprise Solutions of t	the agent to transfer a call to esse desktop. E SIP Refer is to an external destination interprise Features Guide,
C CCE Managed Transfer is supported in PCCE Deployments, as it allows another agent or skill group within the same PCCE system using the Fine supported in PCCE Deployments, as it allows the agent to transfer a call using the SIP Refer method. Reference = [Cisco Unified Contact Center E Release 12.5(1)], page 43; [Cisco Unified Contact Center Enterprise Solutions (SRND), Release 12.5(1)], page 101	the agent to transfer a call to esse desktop. E SIP Refer is to an external destination interprise Features Guide,
C CCE Managed Transfer is supported in PCCE Deployments, as it allows another agent or skill group within the same PCCE system using the Fine supported in PCCE Deployments, as it allows the agent to transfer a call using the SIP Refer method. Reference = [Cisco Unified Contact Center E Release 12.5(1)], page 43; [Cisco Unified Contact Center Enterprise Solutions (SRND), Release 12.5(1)], page 101 Question: 5	the agent to transfer a call to esse desktop. E SIP Refer is to an external destination interprise Features Guide,
C CCE Managed Transfer is supported in PCCE Deployments, as it allows another agent or skill group within the same PCCE system using the Fine supported in PCCE Deployments, as it allows the agent to transfer a call using the SIP Refer method. Reference = [Cisco Unified Contact Center E Release 12.5(1)], page 43; [Cisco Unified Contact Center Enterprise Solutionsign (SRND), Release 12.5(1)], page 101 Question: 5 What is the role of CVP in UCCE/PCCE? A. interface between CUBE and UCCE/PCCE B. queuing and self-service IVR C. call routing brain of PCCE/UCCE	the agent to transfer a call to esse desktop. E SIP Refer is to an external destination interprise Features Guide,

The role of CVP in UCCE/PCCE is queuing and self-service IVR, as it provides voice response applications that can interact with callers, collect information, and queue calls for treatment by

agents or other destinations. Reference = [Cisco Unified Contact Center Enterprise Solution Reference Network Design (SRND), Release 12.5(1)], page 9

Thank You for trying 500-443 PDF Demo

To try our 500-443 practice exam software visit link below

https://prepbolt.com/500-443.html

Start Your 500-443 Preparation

Use Coupon "SAVE50" for extra 50% discount on the purchase of Practice Test Software. Test your 500-443 preparation with actual exam questions.