



## Get Free VMware 5V0-41.20 Dumps PDF Questions

Why risk failure? Download updated VMware SD-WAN Troubleshoot exam PDF questions today. Practice with real 5V0-41.20 dumps and verified answers designed to help you ace your certification quickly using [PrepBolt](https://prepbolt.com/5V0-41.20.html) 5V0-41.20 exam pdf questions and answers.

Thank you for Downloading 5V0-41.20 exam PDF Demo

<https://prepbolt.com/5V0-41.20.html>

QUESTIONS & ANSWERS  
**DEMO VERSION**  
*(LIMITED CONTENT)*

# Question 1

Question Type: MultipleChoice

Scenario 3:


After resolving numerous connectivity issues throughout the various branch sites, connectivity between applications and users is finally present. The network administrator is informed that during certain tests, applications are not performing as they are expected to. Users report that call quality has not fully improved and that some of their calls either drop or have poor voice quality where the conversation is breaking up. Other users are noticing that file transfers are slower than expect. A group of users from a few sites have reported slowness in accessing internal and external applications.


Users at multiple branches complain that a highly performant SQL Database cluster residing at the New York Data Center is not responding to database queries or inserts as expected. It is affecting the order management site. A network administrator investigates and finds that traffic from the branches are going through Seattle to reach the SQL Cluster in New York. The design for this SD-WAN network does not call for routing security.

The SQL Cluster is reachable through either Data Center, but for performance reasons, must flow through the New York DC. The network administrator has verified that the routes are not present in the OFC and the BGP neighborship is down in Network Services.

Refer to the Exhibit(s).

Exhibit.





What should the administrator verify?

### Options:

- A- The BGP configuration has a filter in place to deny the prefix in New York.
- B- The BGP Authentication matches on both sides.
- C- The BGP configuration has a filter in place to deny the prefix in Seattle.
- D- Backhauling through the Seattle DC is disabled.

### Answer:

D

## Question 2


Question Type: MultipleChoice

Scenario 1:

The Dallas Branch location is having issues getting activated. The local network administrator is aware that the Edge device received a DHCP address and was able to connect to the internet. The Orchestrator is reporting the Edge as Down. No other changes were made post activation.

A network administrator is tasked with enabling SD-WAN at three branch locations. A topology has been provided for reference. For each site, the administrator is having issues bringing edges online, as another administrator has gone ahead and created a configuration ahead of time. The organization has several branch sites. One is an Internet-only site and two are Hybrid locations with both internet and MPLS. The last location is MPLS only. There are hub data center locations in this environment as well. Please refer to the topology.

Refer to the Exhibit(s).



**Interface Settings** ➕ Add Subinterface ➕ Add Secondary IP ➕ Add WiFi SSID

Actions	Interface	Switch Port Settings			Routed Interface Settings			Multicast		
		Mode	VLANs	Addressing	WAN Overlay	Segment	IGMP	PIM	VNF Insertion	
<a href="#">Edit</a>	LAN1	Access	1 - Corporate			Global Segment				
<a href="#">Edit</a>	LAN2	Access	1 - Corporate			Global Segment				
<a href="#">Edit</a>	LAN3	Access	1 - Corporate			Global Segment				
<a href="#">Edit</a>	LAN4	Access	1 - Corporate			Global Segment				
<a href="#">Edit</a>	LAN5	Trunk	1 - Corporate 10 - UserSeg 20 - VoiceSeg 30 - GuestSeg			Global Segment Global Segment Global Segment Global Segment				
<a href="#">Edit</a>	LAN6	Access	1 - Corporate			Global Segment				
<a href="#">Edit</a>	LAN7	Access	1 - Corporate			Global Segment				
<a href="#">Edit</a>	LAN8	Access	1 - Corporate			Global Segment				
<a href="#">Edit</a>	GE1			Static CIDR: 10.0.0.0/24 Gateway: 10.0.0.1	↓ User Defined	all segments			<input checked="" type="checkbox"/>	
<a href="#">Edit</a>	GE2			DHCP	↓ User Defined	all segments			<input checked="" type="checkbox"/>	
<a href="#">Edit</a>	SFP1			DHCP	↓ Auto Detect	all segments			<input checked="" type="checkbox"/>	
<a href="#">Edit</a>	SFP2			DHCP	↓ Auto Detect	all segments			<input checked="" type="checkbox"/>	
<a href="#">Edit</a>	WLAN1	Wifi	1 - Corporate			Global Segment				
<a href="#">Edit</a>	WLAN2	Interface disabled								

View the [recommended method](#) to configure interfaces at the profile and edge level.

**WAN Settings** ➕ Add User Defined WAN Overlay

Type	Name	Interfaces	Link Type	Public IP	Alerts
↓ User Defined	INET	GE1	Public Wired		<input checked="" type="checkbox"/>
↓ User Defined	MPLS	GE2	Private Wired		<input checked="" type="checkbox"/>

What is the cause of this issue?

**Options:**

- A- The activation link did not specify the updated image location requiring the Edge to be re-activated.
- B- The activation link did not contain any post-activation configuration to allow the Orchestrator to communicate with the Edge.
- C- The Edge will be offline for about 4 hours until it has completed the factory image installation.
- D- The activation link contained incorrect configurations for WAN overlays and WAN interfaces.

**Answer:**

A


# Question 3

Question Type: MultipleChoice

Scenario 2:

After completing the branch activation activities for all required branches, the network administrator attempts to test connectivity between the various branches and between the hubs and branches. The administrator notices a lack of connectivity despite being certain that configurations have been complete. The administrator also observed that several users are reporting intermittent connectivity to some of the applications they are accessing. Other users are reporting no access to these applications. Other users at some of the branches claim they cannot get to certain public resources. The administrator wants to ensure that all sites can talk to each other and all resources are accessible.

Exhibit.



One branch location is not able to communicate with another branch location via dynamic branch-to-branch tunnels. While troubleshooting at the Edge configuration level, the network administrator notices Cloud VPN is not enabled and is grayed out, preventing them from enabling that feature.

## Options:

- A- Where is the next location to check for and enable the necessary feature?
- B- Within the Configuration section under Profiles. Within the Monitor section under Network Services.
- C- Within the Test & Troubleshooting section under Remote Diagnostics.
- D- Within the Configuration section under Customer VPN enablement.

## Answer:


## Question 4

Question Type: MultipleChoice

Scenario 2:

After completing the branch activation activities for all required branches, the network administrator attempts to test connectivity between the various branches and between the hubs and branches. The administrator notices a lack of connectivity despite being certain that configurations have been complete. The administrator also observed that several users are reporting intermittent connectivity to some of the applications they are accessing. Other users are reporting no access to these applications. Other users at some of the branches claim they cannot get to certain public resources. The administrator wants to ensure that all sites can talk to each other and all resources are accessible.

Exhibit.



A network administrator decides to deploy a local Checkpoint VNF appliance on the Edge in London to cut back on unnecessary traffic towards the NY Hub location. While attempting to deploy the VNF, the process keeps failing.

Where can the administrator check to see more detail?

Options:

- A- VCO > Monitor > Logging
- B- VCO > Monitor > Events
- C- VCO > Test & Troubleshoot > Remote Diagnostics > Events

Answer:

B


## Question 5

Question Type: MultipleChoice

Scenario 2:

After completing the branch activation for all required branches, the network administrator attempts to test connectivity between the various branches and between hubs and branches. The administrator notices a lack of connectivity despite being certain that configurations have been complete. The administrator also observed that several users are reporting intermittent connectivity to some of the some applications they are accessing. Other users are reporting no access to these applications. Other users at some of the branches claim they cannot get to certain public resources. The administrator wants to ensure that all sites can talk to each other and all resources are accessible.

Exhibit.



A technician has added Edges to an East Coast Profile. These Edges are not able to communicate via dynamic tunnels to Edges in the West\_Coast profile. The technician has noticed that some Edges are able to establish dynamic tunnels.

What could be preventing Edges from being able to establish dynamic tunnels?

## Options:

- A- The profiles are not configured to allow dynamic branch to branch VPNs.
- B- The profiles are configured to only allow dynamic branch to branch for Edges within the same profile.
- C- None of the existing profiles have Cloud VPN enabled thus preventing dynamic tunnels.
- D- Neither profile has been configured to utilize cloud gateways.

## Answer:

B


## Question 6

Question Type: MultipleChoice

Scenario 3:

After resolving numerous connectivity Issues throughout the various branch sites, connectivity between applications and users is finally present- The network administrator is informed (hat during certain tests, applications are not performing as they are expected to. Users report that call quality has not fully improved and that some of their calls either drop or have poor voice quality where the conversation is breaking up. Other users are noticing that file transfers are slower than expect. A group of users from a few sites have reported slowness in accessing internal and external applications.

Exhibit.



Which metrics can a network administrator verify in the QoE screen to determine the overall health of Underlay and Overlay?

## Options:

- A- Jitter Packet Loss, Speed.
- B- Jitter, Packet Loss, Latency.
- C- Jitter, Speed, Latency.
- D- Packet Loss, Latency, Speed.

## Answer:

B


## Question 7

Question Type: MultipleChoice

Scenario 2:

After resolving numerous connectivity Issues throughout the various branch sites, connectivity between applications and users is finally present. The network administrator is informed that during certain tests, applications are not performing as they are expected to. Users report that call quality has not fully improved and that some of their calls either drop or have poor voice quality where the conversation is breaking up. Other users are noticing that file transfers are slower than expect. A group of users from a few sites have reported slowness in accessing internal and external applications.

Exhibit.



A network administrator has configured a Business Policy to send a specific application directly out an underlay interface. Users have complained of slow responses for that application. While troubleshooting, the network administrator finds the traffic is actually taking an overlay path to another SD-WAN Edge.

What is causing this behavior?

Options:

- A- The other Edge location is advertising a secure route for the application's subnet.
- B- ul has been configured forcing traffic into the underlay towards the hub.
- C- Configuring Business Policy Direct settings have no affect on traffic flows.
- D- Internet Backha.
- E- The underlay path is not available forcing traffic into the overlay.

Answer:

E


## Question 8

Question Type: MultipleChoice

Scenario 1:

A network administrator is tasked with enabling SD-WAN at three branch locations. A topology has been provided for reference. For each site, the administrator is having issues bringing edges online, as another administrator has gone ahead and created a configuration ahead of lime. The organization has several branch sites. One is an Internet-only site and two are Hybrid locations with both internet and MPLS. The last location is MPLS only. There are hub data center locations in this environment as well. Please refer to the topology.

Exhibit.



When attempting to activate an Edge, after clicking on the "activation link" in the email that was sent to the network administrator, the Edge's local UI shows as "Internet down". This is preventing the Edge from coming online and being activated. When referring to the output, the network administrator notices that the Edge has received DHCP addressing.

What could be preventing the Edge from coming online?

### Options:

---

- A- The next hop does not respond to ICMP pings.
- B- Cloud VPN is not enabled in the AMER Branch profile.
- C- The subnet mask assigned to the Edge is incorrect.
- D- The Edge's profile does not specify the correct Edge Model.

### Answer:

---

A

# Thank You for trying 5V0-41.20 PDF Demo

To try our 5V0-41.20 practice exam software  
visit link below

<https://prepbolt.com/5V0-41.20.html>

## Start Your 5V0-41.20 Preparation

Use Coupon "SAVE50" for extra 50% discount on the purchase of Practice Test Software. Test your 5V0-41.20 preparation with actual exam questions.