



Prepare Smart for Success Free Adobe AD0-E134 Exam Questions and Answers

Ready to pass faster? Grab free and updated Adobe Experience Manager Sites Developer Exam PDF questions now. Get authentic AD0-E134 dumps packed with verified answers and secure your certification success with [PrepBolt](https://prepbolt.com/AD0-E134.html) AD0-E134 exam pdf questions and answers.

Thank you for Downloading AD0-E134 exam PDF Demo

<https://prepbolt.com/AD0-E134.html>

QUESTIONS & ANSWERS
DEMO VERSION
(LIMITED CONTENT)

Question 1

Question Type: MultipleChoice

A developer is working on a project based on core components. The client requests that text pasted inside the Text component should be stripped of all styling and formatting.

The developer needs to override RTE plugin implementation and change the default paste (CTRL+V) behavior.

Which paste option should the developer add to achieve this?

Options:

- A- defaultPasteMode=text
- B- defaultPasteMode=plaintext
- C- pasleMode=text
- D- pasteMode-plaintext

Answer:

B

Explanation:

To ensure that text pasted inside the Text component in AEM is stripped of all styling and formatting, you need to override the RTE (Rich Text Editor) plugin implementation and change the default paste behavior. The correct option to achieve this is defaultPasteMode=plaintext.

Steps to configure the RTE plugin for plain text pasting:

Locate the RTE Configuration: Find the existing configuration for the RTE or create a new one in the /apps directory of your AEM project.

Modify the Plugin Configuration: Add or update the configuration to include the defaultPasteMode parameter. The configuration might look something like this:

```
{  
'jcr:primaryType': 'nt:unstructured',  
'features': '[text]',  
'defaultPasteMode': 'plaintext'  
}
```

Apply the Configuration: Ensure that this configuration is applied to the Text component. This typically involves updating the component dialog or design dialog to reference the updated RTE configuration.

Test the Configuration: In the AEM author instance, open the page with the Text component and paste text using CTRL+V. The pasted text should now be stripped of all styling and formatting, adhering to the plaintext mode.

By setting defaultPasteMode to plaintext, you ensure that the RTE only accepts plain text input, removing any formatting that might come from external sources.

[AEM Rich Text Editor \(RTE\) Documentation](#)

[Configuring the Rich Text Editor in AEM](#)

Question 2

Question Type: MultipleChoice

A developer is using sling context-aware configuration trying to get the configuration resource using:



This works as intended in author and in publish when logged in lo publish as admin. However this gives a null when run as anonymous. Which method is going to fix the issue?

Options:

- A- Applying read permissions to anonymous user for /content directory
- B- Applying write permissions to anonymous user for/conf directory.
- C- Applying read permissions to anonymous user for /etc directory.
- D- Applying read permissions to anonymous user for /cont directory

Answer:

A

Explanation:

The issue arises because the anonymous user does not have the necessary read permissions for the /content directory. When using Sling context-aware configurations, access to the configuration resource is required. If the anonymous user lacks read permissions, the configuration cannot be retrieved, resulting in a null value.

To fix this issue, you need to grant read permissions to the anonymous user for the /content directory.

Steps to apply read permissions:

Access CRXDE Lite: Log into your AEM instance and navigate to CRXDE Lite (<http://localhost:4502/crx/de>).

Navigate to the /content Directory: In the CRXDE Lite interface, browse to the /content directory.

Set Permissions:

Right-click on the /content directory and select 'Permissions'.

Add the anonymous user (if not already present).

Grant read permissions to the anonymous user.

Save Changes: Apply the changes and ensure that they are saved correctly.

Test the Configuration: Log out of the AEM instance and test the context-aware configuration as an anonymous user to ensure that the configuration resource can now be retrieved.

By granting read permissions to the anonymous user for the /content directory, you allow access to the necessary configuration resources, resolving the issue.

[Adobe Experience Manager Security Permissions](#)

Question 3

Question Type: MultipleChoice

In a non-optimized website, the final HTML generated for a typical page by publish instance includes a relatively large number of elements that refer to other script files loaded from AEM environment. The developer wants to minimize these network calls by combining all required client library code into a single file to reduce the number of back-and-forth requests on page load.

Which step should a developer take to solve this issue?

Options:

A- Embed the required libraries into an app-specific client library using the allowProxy property of the cq:ClientLibraryFolder node

B- Add the categories property of the cq:ClientLibraryFolder node into an app-specific client library folder

C- Embed the required libraries into an app-specific client library using the dependencies property of the cq:ClientLibraryFolder node

D- Embed the required libraries into an app-specific client library using the embed property of the cq:ClientLibraryFolder node

Answer:

C

Explanation:

The `embed` property of the `cq:ClientLibraryFolder` node allows embedding code from a client library into another client library. At runtime, the generated JS and CSS files of the embedding library include the code of the embedded library. This reduces the number of network calls and improves performance. Embedding code is useful for providing access to libraries that are stored in secured areas of the repository. Reference:

<https://experienceleague.adobe.com/docs/experience-manager-cloud-service/content/implementing/developing/full-stack/clientlibs.html?lang=en#embed>

<https://experienceleaguecommunities.adobe.com/t5/adobe-experience-manager/embed-property-in-clientlibs/m-p/426858>

Question 4

Question Type: MultipleChoice

A developer needs to create sling models for two fields name and occupations. The dialog has two fields, name - a single value field, and occupations - a multi value field.

The following code is included in sling models inherited from interface `com.adobe.aem.guides.wknd.core.models.Byline`



Which method should be used to used to represent this model in HTL?

A)



B)



C)



D)



Options:

- A- Option A
- B- Option B
- C- Option C
- D- Option D

Answer:

C

Explanation:

Option C is the correct implementation for the Sling Model. Option C uses the @Model annotation with the adaptables parameter set to Resource.class. This allows the Sling Model to adapt from a resource object and access its properties using the ValueMap interface. Option C also uses the @Inject annotation with the name parameter set to "./name" and "./occupations" to inject the values of the name and occupations properties into the name and occupations fields. Option C also uses the @Named annotation with the value parameter set to "byline" to specify the name of the Sling Model that can be used in HTL scripts. Reference:

<https://sling.apache.org/documentation/bundles/models.html>

<https://experienceleague.adobe.com/docs/experience-manager-htl/using-htl/htl-block-statements.html?lang=en#use>

Question 5

Question Type: MultipleChoice

SPA components are connected to AEM components via the MapTo() method.

Which code should be used to correctly connect an SPA component called ItemList to its AEM equivalent?

Options:

- A- ('project/components/content/itemList,).MapTo(ItemList,ItemListEditConfig);
- B- MapToCproject/cornponents/content/itemList^ItemListJtemListEditConfig);
- C- ItemList.MapToCproject/components/content/itemList1);
- D- MapTo(ItemList)('project/components/content/itemList,,ItemListEditConfig);

Answer:

C

Explanation:

The MapTo() method is used to map a SPA component to an AEM component by specifying the sling:resourceType of the AEM component as an argument. The MapTo() method should be called on the SPA component and not on a string. The second argument of the MapTo() method is optional and can be used to provide an edit configuration for the SPA component.

Question 6

Question Type: MultipleChoice

In an AEM as a Cloud Service environment, which repository areas are considered as immutable?

Options:

- A- /content and /libs
- B- /content and /etc
- C- /apps and /libs
- D- /apps and /content

Answer:

C

Explanation:

In AEM as a Cloud Service environment, the repository areas /apps and /libs are considered as immutable, meaning that they cannot be modified at runtime by any means. These areas contain application code and configuration that are deployed via Cloud Manager and are read-only for security and performance reasons. Any changes to these areas require a new deployment via Cloud Manager.

Reference:

<https://experienceleague.adobe.com/docs/experience-manager-cloud-service/implementing/deploying/overview.html?lang=en#repository-restrictions>

<https://experienceleague.adobe.com/docs/experience-manager-cloud-service/implementing/developing/aem-project-content-package-structure.html?lang=en#repository-restrictions>

Question 7

Question Type: MultipleChoice

Which configuration must be applied to enable re-fetching of cached items based on Cache Headers sent by AEM?

Options:

- A- /autoInvalidate true
- B- /autoInvalidate '1'
- C- /enableTTLtrue
- D- /enableTTL '1'

Answer:

D

Explanation:

The `/enableTTL "1"` configuration must be applied to enable re-fetching of cached items based on Cache Headers sent by AEM. This configuration enables the Time To Live (TTL) feature of dispatcher, which allows dispatcher to check the Cache-Control and Expires headers of the cached files and re-fetch them from AEM if they are expired. Reference: <https://experienceleague.adobe.com/docs/experience-manager-dispatcher/using/configuring/page-invalidation.html?lang=en#time-based-cache-invalidation>

Question 8

Question Type: MultipleChoice

An AEM as a Cloud Service implementation customer wants content to be replicated as soon as the On Time and Off Times are reached.

What must the developer configure?

Options:

- A- Enable Auto Replicate via On Off Trigger Configuration

- B- Enable On Time or Off Time via Page Properties
- C- Configure the Publish content tree via Workflow Models

Answer:

A

Explanation:

The Auto Replicate via On Off Trigger Configuration is a feature that allows content to be replicated as soon as the On Time and Off Times are reached. This feature can be enabled by creating an OSGi configuration for the `com.day.cq.wcm.core.impl.servlets.OnOffTimeServlet` service. This service listens for changes in the On Time and Off Time properties of pages and triggers replication accordingly.

Reference:

<https://experienceleague.adobe.com/docs/experience-manager-65/deploying/configuring/replication.html?lang=en#on-off-time>

<https://experienceleague.adobe.com/docs/experience-manager-65/deploying/configuring/replication.html?lang=en#auto-replication>

Question 9

Question Type: MultipleChoice

The following anchor tag is not resolving:

`{item.name}`

Upon further inspection the developer notices that the link has no `.html` appended to the end of the URL

What could be a potential fix for the issue?

A)



B)



C)



D)



Options:

- A- Option A
- B- Option B
- C- Option C
- D- Option D

Answer:

B

Explanation:

Option B is a potential fix for the issue. Option B uses the data-sly-attribute block statement to add the href attribute to the anchor tag. The data-sly-attribute statement uses an expression to append ".html" to the item.path value. This way, the link will have the correct extension and will resolve to the corresponding page. Reference:

<https://experienceleague.adobe.com/docs/experience-manager-htl/using-htl/htl-block-statements.html?lang=en#data-sly-attribute>

Thank You for trying AD0-E134 PDF Demo

To try our AD0-E134 practice exam software visit
link below

<https://prepbolt.com/AD0-E134.html>

Start Your AD0-E134 Preparation

Use Coupon "SAVE50" for extra 50% discount on the purchase of
Practice Test Software. Test your AD0-E134 preparation with actual
exam questions.