Prepare Smart for Success Free Adobe AD0-E720 Exam Questions and Answers

Ready to pass faster? Grab free and updated Adobe Commerce Front-End Developer Expert Exam PDF questions now. Get authentic AD0-E720 dumps packed with verified answers and secure your certification success with PrepBolt AD0-E720 exam pdf questions and answers.

Thank you for Downloading AD0-E720 exam PDF Demo

https://prepbolt.com/AD0-E720.html

QUESTIONS & ANSWERS

DEMO VERSION

(LIMITED CONTENT)

Question 1

An Adobe Commerce developer needs to apply a Knockout binding to show content under certain conditions.

Which two syntaxes would achieve this? (Choose two.)

A)

B)

C)

D)

Options:

A- Option A
B- Option B
C- Option C
D- Option D

Answer:

A, C

Explanation:

Option A and Option C are both valid ways to apply a Knockout binding to show content under certain conditions. Option A uses the visible binding, which sets the display style of the element to none if the value is false. Option C uses the if binding, which removes or inserts the element from the DOM based on the value. Option B and Option D are incorrect because they use invalid syntax for Knockout bindings. Option B uses a colon instead of an equal sign to assign the value, and Option D uses a single quote instead of a double quote to enclose the value.

https://knockoutjs.com/documentation/binding-syntax.html

https://knockoutjs.com/documentation/binding-context.html

Question 2

An Adobe Commerce developer is using a view model within an existing block:

What are two ways to access the view model class in the template? (Choose two.)

Options:

A- $block->getData('view_model')

B- $block->viewModel()

C- $block->getViewHodel()

D- $block->getData('viewModel)

Answer:

A, D

Explanation:

To access a view model within an existing block, the developer can use either of the following ways:

$block->getData('view_model'): This method will return the view model object that is assigned to the argument name ''view_model'' in the layout XML file. For example:

<referenceBlock name=''blog_posts_list''> ExampleObjectModel/ExampleObjectModel </referenceBlock>

In the template file, the developer can access the view model object by using:

$block->getData('view_model')

$block->getData('viewModel'): This method will return the view model object that is assigned to the argument name ''viewModel'' in the layout XML file. For example:

<referenceBlock name=''blog_posts_list''> ExampleObjectModel/ExampleObjectModel </referenceBlock>

In the template file, the developer can access the view model object by using:

$block->getData('viewModel')

The following methods are not valid and will not work:

$block->viewModel(): This method does not exist and will cause an error.

$block->getViewHodel(): This method is misspelled and will cause an error.

Question 3

Question Type: MultipleChoice

Which two steps are required to delete a manually installed theme? (Choose two.)

Options:
A- Remove the theme using the theme:uninstall CLI command
B- Remove the directory app/design/frontend/<VendorNAME/<ThemeName>
C- Disable the theme from the backend admin configuration
D- Remove the theme record from the theme database table

Answer:
B, D

Explanation:
To delete a manually installed theme, the developer needs to remove the theme directory from the app/design/frontend directory and also delete the corresponding record from the theme table in the database. The theme:uninstall CLI command is only used for deleting themes that are installed as Composer packages. Disabling the theme from the backend admin configuration does not delete the theme files or records, but only makes it unavailable for use. Reference: [Delete a theme], [theme:uninstall]

Question 4

Question Type: MultipleChoice

An Adobe Commerce developer wants to create a new theme Vendor_Orange which extends from MagentoMum

a. Which file is responsible for specifying the parent theme?

Options:

A- view.xml

B- registration.php

C- theme.xml

Answer:

C

Explanation:

The theme.xml file is responsible for specifying the parent theme of a custom theme. The file should contain the element with the value of the parent theme's directory, such as MagentoMuma. The view.xml file is used to configure the theme's images, fonts, and layout. The registration.php file is used to register the theme in the system. Reference: [Create a theme], [theme.xml]

Question 5

Question Type: MultipleChoice

An Adobe Commerce developer has just installed an extension via composer. When running, bin/magento module: status Vendor_Module, the status is returned as Module is disabled.

Which two CLI commands need to be run to make the extension work properly? (Choose two.)

Options:

A- composer install

B- bin/magento setup:upgrade

C- composer update vendor/module

D- bin/magento module:enable Vendor_Module --clear-static-content

Answer:

B, D

Explanation:

The developer needs to run these two CLI commands to make the extension work properly:

bin/magento module:enable Vendor_Module --clear-static-content This command enables the extension and clears any outdated static files that might interfere with its functionality.

bin/magento setup:upgrade This command updates the database schema and data according to the extension's requirements. The other two options are incorrect because they are not necessary to make the extension work properly. The composer install command installs all dependencies specified in the composer.json file, but it does not enable or update any extensions. The composer update vendor/module command updates an existing extension to its latest version, but it does not enable or upgrade it.

Thank You for trying AD0-E720 PDF Demo

To try our AD0-E720 practice exam software visit link below

https://prepbolt.com/AD0-E720.html

Start Your AD0-E720 Preparation

Use Coupon "SAVE50" for extra 50% discount on the purchase of Practice Test Software. Test your AD0-E720 preparation with actual exam questions.