



CompTIA CyberSecurity Analyst CySA+ Certification Exam

Thank you for Downloading CS0-003 exam PDF Demo

You can also try our CS0-003 practice exam software

Download Free Demo

https://prepbolt.com/CS0-003.html

QUESTIONS & ANSWERS DEMOVERSION (LIMITED CONTENT)

Question: 1

A recent zero-day vulnerability is being actively exploited, requires no user interaction or privilege escalation, and has a significant impact to confidentiality and integrity but not to availability. Which of the following CVE metrics would be most accurate for this zero-day threat?

A. CVSS: 31/AV: N/AC: L/PR: N/UI: N/S: U/C: H/1: K/A: L

B. CVSS:31/AV:K/AC:L/PR:H/UI:R/S:C/C:H/I:H/A:L

C. CVSS:31/AV:N/AC:L/PR:N/UI:H/S:U/C:L/I:N/A:H

D. CVSS:31/AV:L/AC:L/PR:R/UI:R/S:U/C:H/I:L/A:H

Answer: A

Explanation:

This answer matches the description of the zero-day threat. The attack vector is network (AV:N), the attack complexity is low (AC:L), no privileges are required (PR:N), no user interaction is required (UI:N), the scope is unchanged (S:U), the confidentiality and integrity impacts are high (C:H/I:H), and the availability impact is low (A:L). Official Reference: <u>https://nvd.nist.gov/vuln-metrics/cvss</u>

Question: 2	
-------------	--

Which of the following tools would work best to prevent the exposure of PII outside of an organization?

A. PAM

B. IDS

C. PKI

D. DLP

Answer: D

Explanation:

Data loss prevention (DLP) is a tool that can prevent the exposure of PII outside of an organization by monitoring, detecting, and blocking sensitive data in motion, in use, or at rest.

Question: 3

An organization conducted a web application vulnerability assessment against the corporate website, and the following output was observed:

PrepBolt.com

	Absence of Anti-CSRF Tokens
_	Content Security Policy (CSP) Header Not Set (6)
3	Cross-Domain Misconfiguration (34)
>	Directory Browsing (11)
>	Missing Anti-clickjacking Header (2)
>	Cookie No HttpOnly Flag (4)
3	P Cookie Without Secure Flag
>	Cookie with SameSite Attribute None (2)
>	PCookie without SameSite Attribute (5)
>	PCross-Domain JavaScript Source File Inclusion
>	P Timestamp Disclosure - Unix (569)
>	X-Content-Type-Options Header Missing (42)
5	R CORS Header
>	▶ Information Disclosure - Sensitive Information in URL (2)
>	Information Disclosure - Suspicious Comments (43)
	Loosely Scoped Cookie (5)
>	Re-examine Cache-control Directives (33)

Which of the following tuning recommendations should the security analyst share?

A. Set an HttpOnlvflaq to force communication by HTTPS

- B. Block requests without an X-Frame-Options header
- C. Configure an Access-Control-Allow-Origin header to authorized domains
- D. Disable the cross-origin resource sharing header

Answer: B

Explanation:

The output shows that the web application is vulnerable to clickjacking attacks, which allow an attacker to overlay a hidden frame on top of a legitimate page and trick users into clicking on malicious links. Blocking requests without an X-Frame-Options header can prevent this attack by instructing the browser to not display the page within a frame.

Question: 4

Which of the following items should be included in a vulnerability scan report? (Choose two.)

A. Lessons learnedB. Service-level agreementC. Playbook

PrepBolt.com

D. Affected hosts E. Risk score

F. Education plan

Answer: D, E

Explanation:

A vulnerability scan report should include information about the affected hosts, such as their IP addresses, hostnames, operating systems, and services. It should also include a risk score for each vulnerability, which indicates the severity and potential impact of the vulnerability on the host and the organization. Official Reference: <u>https://www.first.org/cvss/</u>

Question: 5

The Chief Executive Officer of an organization recently heard that exploitation of new attacks in the industry was happening approximately 45 days after a patch was released. Which of the following would best protect this organization?

- A. A mean time to remediate of 30 days
- B. A mean time to detect of 45 days
- C. A mean time to respond of 15 days
- D. Third-party application testing

Answer: A

Explanation:

A mean time to remediate (MTTR) is a metric that measures how long it takes to fix a vulnerability after it is discovered. A MTTR of 30 days would best protect the organization from the new attacks that are exploited 45 days after a patch is released, as it would ensure that the vulnerabilities are fixed before they are exploited

Thank You for trying CS0-003 PDF Demo

To try our CS0-003 practice exam software visit link below

https://prepbolt.com/CS0-003.html

Start Your CS0-003 Preparation

Use Coupon "SAVE50" for extra 50% discount on the purchase of Practice Test Software. Test your CS0-003 preparation with actual exam questions.

PrepBolt.com