



Fortinet

FCP_FGT_AD-7.4 Exam

FCP - FortiGate 7.4 Administrator

Thank you for Downloading FCP_FGT_AD-7.4 exam PDF Demo

You can also try our FCP_FGT_AD-7.4 practice exam software

Download Free Demo

https://prepbolt.com/FCP_FGT_AD-7.4.html

QUESTIONS & ANSWERS

DEMO VERSION

(LIMITED CONTENT)

Version: 4.0

Question: 1

Refer to the exhibit.

FortiGate routing database

```
Local-FortiGate # get router info routing-table database
Codes: K - kernel, C - connected, S - static, R - RIP, B - BGP
       O - OSPF, IA - OSPF inter area
       N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
       E1 - OSPF external type 1, E2 - OSPF external type 2
       i - IS-IS, L1 - IS-IS level-1, L2 - IS-IS level-2, ia - IS-IS inter area
       V - BGP VPNv4
       > - selected route, * - FIB route, p - stale info

Routing table for VRF=0
S      0.0.0.0/0 [20/0] via 10.200.2.254, port2, [1/0]
S      *> 0.0.0.0/0 [10/0] via 10.200.1.254, port1, [1/0]
C      *> 10.0.1.0/24 is directly connected, port3
C      *> 10.200.1.0/24 is directly connected, port1
C      *> 10.200.2.0/24 is directly connected, port2
C      *> 172.16.100.0/24 is directly connected, port8
```

Which two statements are true about the routing entries in this database table? (Choose two.)

- A. All of the entries in the routing database table are installed in the FortiGate routing table.
- B. The port2 interface is marked as inactive.
- C. Both default routes have different administrative distances.
- D. The default route on port2 is marked as the standby route.

Answer: C, D

Question: 2

Which three pieces of information does FortiGate use to identify the hostname of the SSL server when SSL certificate inspection is enabled? (Choose three.)

- A. The host field in the HTTP header.
- B. The server name indication (SNI) extension in the client hello message.

- C. The subject alternative name (SAN) field in the server certificate.
- D. The subject field in the server certificate.
- E. The serial number in the server certificate.

Answer: B, C, D

Question: 3

Refer to the exhibit.

ID	Name	Source	Destination	Criteria	Members
IPv4					
1	Critical-DIA	4 LOCAL_SUBNET	Slack-Slack Dropbox-Web Bloomberg		port1 port2
2	Non-Critical-DIA	4 LOCAL_SUBNET	Addicting.Games Social.Media	Bandwidth	port2
3	Default-Internet	4 LOCAL_SUBNET	4 REMOTE_SUBNET	Latency	port1 port2
Implicit					
	sd-wan	4 all	4 all	Source-Destination IP	any

Which algorithm does SD-WAN use to distribute traffic that does not match any of the SD-WAN rules?

- A. All traffic from a source IP to a destination IP is sent to the same interface.
- B. Traffic is sent to the link with the lowest latency.
- C. Traffic is distributed based on the number of sessions through each interface.
- D. All traffic from a source IP is sent to the same interface

Answer: A

Question: 4

A network administrator is configuring an IPsec VPN tunnel for a sales employee travelling abroad. Which IPsec Wizard template must the administrator apply?

- A. Remote Access
- B. Site to Site
- C. Dial up User
- D. iHub-and-Spoke

Answer: A

Question: 5

Refer to the exhibits, which show the system performance output and the default configuration of high memory usage thresholds in a FortiGate.

System Performance output

```
# get system performance status
CPU states: 0% user 0% system 0% nice 100% idle 0% iowait 0% irq 0% softirq
CPU0 states: 0% user 0% system 0% nice 100% idle 0% iowait 0% irq 0% softirq
Memory: 2061108k total, 1854997k used (90%), 106111k free (5.1%), 100000k freeable (4.8%)
Average network usage: 83 / 0 kbps in 1 minute, 81 / 0 kbps in 10 minutes, 81 / 0 kbps in 30
minutes
Average sessions: 5 sessions in 1 minute, 3 sessions in 10 minutes, 3 sessions in 30 minutes
Average session setup rate: 0 sessions per second in last 1 minute, 0 sessions per second in last
10 minutes, 0 sessions per second in last 30 minutes
Virus caught: 0 total in 1 minute
IPS attacks blocked: 0 total in 1 minute
Uptime: 10 days, 3 hours, 28 minutes
```

Memory usage threshold settings

```
config system global
    set memory-use-threshold-red 88
    set memory-use-threshold-extreme 95
    set memory-use-threshold-green 82
end
```

Based on the system performance output, what can be the two possible outcomes? (Choose two.)

- A. FortiGate will start sending all files to FortiSandbox for inspection.
- B. FortiGate has entered conserve mode.
- C. Administrators cannot change the configuration.
- D. Administrators can access FortiGate only through the console port.

Answer: B, D

Thank You for trying FCP_FGT_AD-7.4 PDF Demo

To try our FCP_FGT_AD-7.4 practice exam software visit link
below

https://prepbolt.com/FCP_FGT_AD-7.4.html

Start Your FCP_FGT_AD-7.4 Preparation

Use Coupon "SAVE50" for extra 50% discount on the purchase of
Practice Test Software. Test your FCP_FGT_AD-7.4 preparation
with actual exam questions.

