



FCP - FortiManager 7.4 Administrator

### Thank you for Downloading FCP\_FMG\_AD-7.4 exam PDF Demo

You can also try our FCP\_FMG\_AD-7.4 practice exam software

## **Download Free Demo**


https://prepbolt.com/FCP\_FMG\_AD-7.4.html

# QUESTIONS & ANSWERS DEMOVERSION (LIMITED CONTENT)

## Version: 4.0

#### **Question: 1**

Exhibit.



Given the configuration shown in the exhibit, which two statements are true? (Choose two.)

A. An administrator can also lock the Local-FortiGate\_root policy package.

- B. FortiManager is in workflow mode.
- C. The FortiManager ADOM is locked by the administrator.
- D. The FortiManager ADOM workspace mode is set to Normal

Answer: A, B

#### Question: 2

An administrator enabled workspace mode and now wants to delete an address object that is currently referenced in a firewall policy. Which two results can the administrator expect? (Choose two.)

A. FortiManager will temporarily change the status of the referenced firewall policy to disabled.

B. FortiManager will disable the status of the address object until the changes are installed.

C. FortiManager will not allow the administrator to delete a referenced address object until they lock the ADOM.

D. FortiManager will replace the deleted address object with the none address object in the referenced firewall policy.

Answer: C, D

#### **Question: 3**

What is the purpose of ADOM revisions?

A. To save the current state of the whole ADOM

B. To save the current state of all policy packages and objects for an ADOM

C. To revert individual policy packages and device-level settings for a managed FortiGate

D. To save the FortiManager configuration in the System Checkpoints

Answer: B

#### Question: 4

Refer to the exhibit.						

dit Address								
Category	Address	Address						
Name	LOCAL_SUBNET	LOCAL_SUBNET						
Color	Change	Change						
Туре	Subnet	Subnet						
IP/Netmask	Q 192.168.1.0	255.255.255.0	Q. Resolve from name					
Interface	🗖 any	🗆 any 👻						
Static Route Configuration	0							
Comments								
Add To Groups	Q.							
	Click to select							
Advanced Options >								
Per-Device Mapping $ \smallsetminus $								
+ Create New	it 自 Delete		Search_					
Mapped Device ©		Details =						
o Local-FortiGate	e [root]	IP/Netmask: 192.168.1.0,255.255.255.240						

An administrator has created a firewall address object that is used in multiple policy packages for multiple FortiGate devices in an ADOM.

After the installation operation is performed, which IP/netmask is shown on FortiManager for this firewall address object for devices without a Per-Device Mapping set?

A. FortiManager generates an error for each FortiGate without a per-device mapping defined for that object.

B. 192.168.1.0/24

C. 192.168.1.0/28

D. FortiManager replaces the address object to none.

Answer: C

#### **Question: 5**

#### Exhibit.

There are c	urrent	se dvm device list ly 1 devices/vdoms ly 1 devices/vdoms	managed					
TYPE	OID	SN	НА	IP	NAME	ADOM	IPS	FIRMWARE
fmgfaz-managed		FGVM010000077646 ATUS: dev-db: modi om:[3]root flags:1	fied; co			ADOM2 retrieved;	6.00741 (regular) conn: up	7.0 MR4 (2463)

Which two statements about the output are true? (Choose two.)

A. The latest revision history for the managed FortiGate does not match the device-level database.

B. Configuration changes have been installed on FortiGate, which means the FortiGate configuration has been changed.

C. Configuration changes directly made on FortiGate have been automatically updated to the device-level database.

D. The latest revision history for the managed FortiGate does match the FortiGate running configuration.

Answer: A, D

## Thank You for trying FCP\_FMG\_AD-7.4 PDF Demo

To try our FCP\_FMG\_AD-7.4 practice exam software visit link below

https://prepbolt.com/FCP\_FMG\_AD-7.4.html

## Start Your FCP\_FMG\_AD-7.4 Preparation

Use Coupon "SAVE50" for extra 50% discount on the purchase of Practice Test Software. Test your FCP\_FMG\_AD-7.4 preparation with actual exam questions.