



## Prepare Smart for Success Free Fortinet FCP\_GCS\_AD-7.6 Exam Questions and Answers

Ready to pass faster? Grab free and updated Fortinet FCP - Google Cloud Security 7.6 Administrator exam PDF questions now. Get authentic FCP\_GCS\_AD-7.6 dumps packed with verified answers and secure your certification success with [PrepBolt](https://prepbolt.com) FCP\_GCS\_AD-7.6 exam pdf questions and answers.

Thank you for Downloading FCP\_GCS\_AD-7.6 exam PDF Demo  
[https://prepbolt.com/FCP\\_GCS\\_AD-7.6.html](https://prepbolt.com/FCP_GCS_AD-7.6.html)

QUESTIONS & ANSWERS  
**DEMO VERSION**  
*(LIMITED CONTENT)*

# Question 1

Question Type: MultipleChoice

Refer to the exhibit.

## Diagnose output

```
passive # diagnose debug application gcpd -1
passive # diagnose debug enable

...

passive # HA event
eip cluster-ip-vpm(34.68.13.24) is attached in remote instance: us-central1-c/fgt-vpm, should be moved to local
[pid 9000]: failover eip: cluster-ip-vpm(34.68.13.24)
[pid 9000]: get nics info for instance fgt-vpm
[pid 9000]: get instance nic: nic0, 172.16.0.2, vpc-vpm, accessConfig(external-nat), eip(34.68.13.24), tier(PREMIUM)
[pid 9000]: get instance nic: nic1, 172.16.1.2, vpc2-vpm
[pid 9000]: get instance nic: nic2, 172.16.2.2, vpc3-vpm, accessConfig(external-nat), eip(34.66.4.139), tier(PREMIUM)
[pid 9000]: nic0 of instance fgt-vpm is using eip 34.68.13.24
[pid 9000]: remove eip 34.68.13.24 from instance fgt-vpm(nic0).
gcpd checking route: internal-route-vpm
failover route: internal-route-vpm, move next hop from 172.16.1.2 to 172.16.1.3
[pid 9004]: failover route: internal-route-vpm
[pid 9004]: remove route internal-route-vpm on next hop 172.16.1.2
gcpd checking forwardrule: fgt-forwarding-rule
failover forwardrule: fgt-forwarding-rule, move target from fgt-target-vpm to fgt-target2-vpm
[pid 9006]: failover forwardrule: fgt-forwarding-rule
[pid 9006]: set target forwardrule fgt-forwarding-rule point to target instance fgt-target2-vpm
[pid 9004]: route internal-route-vpm is updated to next hop 172.16.1.3 successfully.
[pid 9000]: attach eip 34.68.13.24 to instance fgt-2-vpm(nic0).
[pid 9000]: eip cluster-ip-vpm(34.68.13.24) is attached to local successfully.
[pid 9006]: forwardrule fgt-forwarding-rule is updated to next hop fgt-target2-vpm successfully.
==== gcpd ha failover exit ====
```

An administrator is troubleshooting an issue when a high-availability (HA) failover occurs.

Which conclusion can you draw from the debug output?

## Options:

- A- The HA cluster is accessible using HTTPS on 34.68.13.24 and 34.66.4.139.
- B- The health check has successfully updated the internal custom route to forward all internal traffic to 172.16.1.3.
- C- Both cluster members are located in the same zone.
- D- The HA cluster is deployed using the software-defined network (SDN) connector.

## Answer:

B

## Explanation:

The debug output shows the internal route being updated and moved to the new next hop (172.16.1.3), indicating the health check and failover process successfully redirected internal traffic to the active HA node.

## Question 2

---

Question Type: MultipleChoice

---

Refer to the exhibit.

### Google Cloud Fabric Connector

```
FortiGate-VM64-GCP # gcp: add GCP Lab
gcpd sdn connector GCP Lab prepare to update
gcpd get token
gcpd metadata url: http://169.254.169.254/computeMetadata/v1/instance/service-accounts/default/token
gcpd metadata result:200
Token expires in: 3599 seconds
gcpd metadata url: http://169.254.169.254/computeMetadata/v1/project/project-id
gcpd metadata result:200
gcpd got project id from metadata: fcp-fcss-course-development
gcpd sdn connector GCP Lab start updating
gcpd sdn connector GCP Lab got empty project list, trying sdn update from metadata project: fcp-fcss-course-development
gcpd sdn connector GCP Lab get instance list successfully
gcpd didn't find any GKE cluster for project fcp-fcss-course-development
gcpd sdn connector GCP Lab list GKE cluster failed
GCP Lab got 3 addresses
gcpd sdn connector GCP Lab start updating IP addresses
gcpd sdn connector GCP Lab finish updating IP addresses
```

An administrator configured GoogleCloud as an external fabric connector on FortiGate.

Which conclusion can you draw from the output?

### Options:

- A- The external fabric connector is unable to find a valid Google Cloud project.
- B- The external fabric connector shows that an administrator created three dynamic firewall addresses.
- C- The external fabric connector is misconfigured.
- D- The external fabric connector found multiple IP addresses assigned to Google Cloud instances.

### Answer:

D

### Explanation:

The output shows the connector successfully retrieved project information and instance IP addresses (GCP Lab got 3 addresses), indicating it found multiple IPs assigned to Google Cloud instances.

# Question 3

Question Type: MultipleChoice

Refer to the exhibit.

## Cloud Shell Terraform output

```
Plan: 1 to add, 0 to change, 0 to destroy.

Changes to Outputs:
+ FortiGate-Username = "admin"

Error: Failed to retrieve project, pid: , err: project: required field is not set

with google_compute_image.fgtvmgvmnic[0],
on main.tf line 19, in resource "google_compute_image" "fgtvmgvmnic":
19: resource "google_compute_image" "fgtvmgvmnic" {

Error: Failed to retrieve project, pid: , err: project: required field is not set

with google_compute_disk.logdisk,
on main.tf line 39, in resource "google_compute_disk" "logdisk":
39: resource "google_compute_disk" "logdisk" {

Error: Failed to retrieve project, pid: , err: project: required field is not set

with google_compute_disk.logdisk2,
on main.tf line 47, in resource "google_compute_disk" "logdisk2":
47: resource "google_compute_disk" "logdisk2" {
```

An administrator is attempting to deploy a Terraform template using Google Cloud Shell.

Which step must the administrator take to solve the error?

### Options:

- A- Use the command terraform init to initialize the Terraform directory.
- B- Delete the admin user to proceed with the Terraform script.
- C- Use the command gcloud config set project to set the Google Cloud project in Google Cloud Shell.
- D- Manually create a Google Cloud storage bucket for logging functionality.

### Answer:

C

### Explanation:

The error indicates the Google Cloud project is not set, which is required for Terraform to access

resources. Setting the project with gcloud config set project [PROJECT\_ID] resolves this by specifying the active project in Cloud Shell.

## Question 4

---

Question Type: MultipleChoice

---

You have been tasked with deploying an active-active FortiGate high-availability cluster in Google Cloud.

How can you ensure that traffic will flow symmetrically?

### Options:

---

- A- Enable the layer 3 unified threat management scanning feature on FortiGate.
- B- Google Cloud performs NAT on incoming traffic for external passthrough network load balancers. No action is needed.
- C- There is no need to ensure traffic symmetry because FortiGate can effectively inspect asymmetric traffic.
- D- Deploy internal passthrough network load balancers on both sides of the cluster they support symmetric hashing.

### Answer:

---

D

## Question 5

---

Question Type: MultipleChoice

---

Your organization has deployed an active-active high-availability (HA) FortiGate cluster in Google Cloud. You have noticed a significant increase in asymmetrical traffic flow.

Which two actions can you take to mitigate the issue? (Choose two.)

### Options:

---

- A- Enable source NAT for ingress traffic.
- B- Enable symmetric hashing on the external load balancer.

C- Enable the layer 3 unified threat management (UTM) scanning feature if the FortiGate devices are on FortiOS 6.4 or later.

D- Enable destination NAT for ingress traffic.

### Answer:

---

A, B

### Explanation:

---

Enabling source NAT ensures consistent source IPs, promoting symmetric traffic flow.

Symmetric hashing on the load balancer helps distribute traffic flows evenly and consistently across cluster members, reducing asymmetric routing.

# Thank You for trying FCP\_GCS\_AD-7.6 PDF Demo

To try our FCP\_GCS\_AD-7.6 practice exam  
software visit link below

[https://prepbolt.com/FCP\\_GCS\\_AD-7.6.html](https://prepbolt.com/FCP_GCS_AD-7.6.html)

## Start Your FCP\_GCS\_AD-7.6 Preparation

Use Coupon "SAVE50" for extra 50% discount on the purchase of  
Practice Test Software. Test your FCP\_GCS\_AD-7.6 preparation with  
actual exam questions.