

### Accelerate Your Certification with HPE7-A08 Practice Questions

Last chance to prepare smart! Get your hands on free HPE Network Switching Professional Exam PDF questions. Study real HPE7-A08 dumps with verified answers and fast-track your certification success with PrepBolt HPE7-A08 exam pdf questions and answers.

Thank you for Downloading HPE7-A08 exam PDF Demo

https://prepbolt.com/HPE7-A08.html

# **QUESTIONS & ANSWERS**

# **DEMO VERSION**

(LIMITED CONTENT)

# Question 1

Question Type: MultipleChoice

An existing AOS-10 wireless deployment is expanding its zero-trust wireless network to multiple locations. The requirement is to propagate role information to enforce group-based policies for wireless client traffic across all locations.

To achieve this goal, which must be configured in this infrastructure?

#### **Options:**

- A- Configure the gateways to mobility type and configure the Roles under System Client Roles in HPE Aruba Networking Central
- B- Configure 'use switch fabric for role propagation' under Security Client Roles in HPE Aruba Networking Central
- C- Overlay campus switch fabric with CX switches
- D- Tunneled SSIDs with gateways

#### **Answer:**

В

## Question 2

Question Type: MultipleChoice

A customer would like to allow their IT Helpdesk to configure IoT devices to connect to a single SSID using a unique PSK that other devices cannot use.

Which solution would you recommend?

#### Options:

- A- MPSK AES with HPE Aruba Networking ClearPass
- B- MPSK AES with HPE Aruba Networking Central Cloud Authentication
- C- MPSK Local
- D- MPSK AES with MAC Auth

#### **Answer:**

## **Question 3**

Question Type: MultipleChoice

After onboarding three new AOS-10 gateways using the full-setup method into the same HPE Aruba Networking Central group, a customer cannot log in to one of the gateways using the HPE Aruba Networking Central remote console due to an incorrect password.

What is causing this issue?

#### **Options:**

- A- The admin password created during the full-setup process is not configured to allow the remote console access
- B- The admin password created at the HPE Aruba Networking Central group level has expired
- C- The admin password created using full-setup does not match the global HPE Aruba Networking Central admin password
- D- The admin password created during the full-setup process does not match the HPE Aruba Networking Central group admin password

#### Answer:

D

## **Ouestion 4**

Question Type: MultipleChoice

You recently added HPE Aruba Networking ClearPass as an authentication server to a group in HPE Aruba Networking Central. RADIUS authentication with Local User Roles (LUR) works fine, but the same access points cannot use Downloadable User Roles (DUR).

What should be corrected in this configuration to fix the issue with DUR?

#### Options:

- A- Add a new Enforcement Policy of type 'WEBAUTH' on ClearPass and associate it with the matching service on ClearPass
- B- Add the correct values for 'CPPM Username' and 'CPPM Password' in the authentication server

configuration on HPE Aruba Networking Central

- C- Uncheck the 'Dynamic Authorization' checkbox in the authentication server configuration on HPE Aruba Networking Central
- D- Modify the shared secret on the switch to match CPPM using the 'radius-server host' command

#### **Answer:**

В

# Question 5

Question Type: MultipleChoice

In a campus topology using VSX with two aggregation switches and downlinks to access switches, which LAG interface configuration at the aggregation layer is correct based on the parameters below?

**ZTP VLAN 1001** 

access switch MGMT VLAN 2002

access switch MGMT VLAN is tagged

connectivity to the access switch should be maintained before and after the ZTP operation is complete

A.

```
interface lag 150 multi-chassis
no shutdown
description ZTP2ACCESS_SW
no routing
vlan trunk native 2002
vlan trunk allowed 1001,2002
lacp mode active
lacp fallback
```

В.

```
interface lag 150 multi-chassis
no shutdown
description ZTP2ACCESS_SW
no routing
vlan trunk native 1001
vlan trunk allowed all
lacp mode active
lacp fallback
```

C.

```
interface lag 150 multi-chassis
no shutdown
description ZTP2ACCESS_SW
no routing
vlan trunk native 1001
vlan trunk allowed all
lacp mode passive
```

D.

interface lag 150
no shutdown
description ZTPZACCESS\_SW
no routing
vlan trunk native 1001
vlan trunk allowed 1001,2002
lacp node active
lacp fallback

# Options:

- A- Option A
- B- Option B
- C- Option C
- D- Option D

#### Answer:

Α

# Thank You for trying HPE7-A08 PDF Demo

# To try our HPE7-A08 practice exam software visit link below

https://prepbolt.com/HPE7-A08.html

# Start Your HPE7-A08 Preparation

Use Coupon "SAVE50" for extra 50% discount on the purchase of Practice Test Software. Test your HPE7-A08 preparation with actual exam questions.